

L2

Smart Fingerprint Lock

Non-WiFi Version

Keyless entry with fingerprint and touchpad.

Getting in and out your home has never been easier, safer, and smarter with the EZVIZ L2 Smart Lock. It supports four ultra-secure unlocking methods, securing your home while freeing you from the need to carry keys.



Four Unlock Methods



Built-in Electronic Doorbell



Anti-Tamper Alarm



Door Handle with Clutch Mechanism



Low Battery Warning Signal



Emergency
Power Supply



Four ways to unlock.


Open the door in an instant with your fingerprint, passcode, proximity card, or even an old-fashioned key. Coming home just got easier and a lot safer.

Hear your visitors loud and clear.

Featuring a built-in electronic doorbell that has a volume of up to 65 dB, the Smart Lock allows your visitor to press the bell and notify whoever is home. Select high or low volume or mute for your convenience. But rest assured these settings will not affect the anti-tamper alert or low-battery alert volumes.








Automatically locks behind you.

You will never have to worry about whether or not you remembered to lock the door when you left home. The door immediately locks as you close it. For enhanced security, simply lift the handle to double-lock it!





Low-battery warning signal.

Powered by four AA alkaline batteries, the L2 lock is able to handle the comings and goings of a busy household for about 10 months*. When battery power starts to get low, the smart lock will sound an alert every time the keyboard is triggered, reminding you to change the batteries.

*10 times/day for 10-month battery life.

Unlock in emergencies.

Even if the batteries are dead, you can still enter your home using a power bank through Micro-USB data cable as an emergency power supply.



Specifications CS-L2-11FCP (A0) (Black)

Technical Parameters

Access Modes Fingerprint, Password, Proximity Card (CPU Card),

Mechanical Key

Fingerprint Sensor Semiconductor

Fingerprint Scanner Resolution 508 Dpi Fingerprint Recognition Angle 360° Fingerprint Capacity 50 Password Capacity 50 Number of Proximity Card 50

Proximity Card Read Range 0 to 8 mm (0 to 0.31 inch)

Function

Scramble Code Supports (the correct password is 6 to 10 digits,

and the anti-peeping password should be less

than 20 digits)

Anti-Prying Alarm Supports
Low Voltage Alarm Supports

Continuous Incorrect Supports (the lock will be automatically locked for Password Protection 3 minutes if the recognition fails 5 times within 5

minutes, including fingerprint, password and

proximity card)

Applicability

Applicable Door Thickness 40 to 110 mm (1.57 to 4.33 inch)

General

Panel Material Aluminum Alloy

Color Black

Lock Body Type Double-Quick Mechanical Lock Body

Clutched Lever Supports
Lock core level C-Level

Battery Type 4 AA alkaline batteries (included)

Battery Life 10 months (average 10 times per day)

Emergency Power Interface Micro USB

Panel Dimensions 307 x 74 x 32 mm (12.08 x 2.91 x 1.26 inch)

Package Dimensions 418 x 255 x 157 mm (16.46 x 10.04 x 6.18 inch)

Net Weight 1785 g (62.96 oz)

Gross Weight 3935 g (138.80 oz)

Operating Environment

Temperature -30°C to 70°C (-22°F to 158°F)

Humidity 10% to 95% (non-condensing)

In the box:

- Front Panel
- Rear Panel
- Lock Body
- AA alkaline battery × 4
- Proximity Card × 2
- Mechanical Key × 2
- Square Rod
- Standard Screw Bag
- Lock Body Screw Bag
- Drilling Template
- Quick Start Guide

Certifications:

CE-EMC / CE-RoHS / CE-LVD / FCC / CE14846